



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Ridgway on New Species of American Birds, etc.—A species of *Myiarchus** supposed to be from the Orinoco district of South America, is described as *Myiarchus coalei*. It is said to most resemble *M. nigriceps* Scl., and is from the collection of Mr. H. K. Coale. A new species of *Picolaptes* (*P. rikeri*) is described† from near Santarem, Lower Amazon, where it was recently collected by Mr. C. B. Riker. A new subspecies of *Cyclorhis* (*C. flaviventris yucatanensis*) is described‡ from three specimens taken in Yucatan.

Mr. Ridgway has also described a new Plumed Partridge from Sonora,§ under the name *Callipepla elegans bensoni*, based on five specimens taken by Lieut. H. C. Benson, U. S. A., in Sonora. Mr. Ridgway has also recorded a Woodpecker|| supposed to be a hybrid between Nuttall's Woodpecker and Gairdner's Woodpecker, which in "every feature of size, form, and coloration" is exactly intermediate between these two species.—J. A. A.

Publications Received.—**Berlepsch**, Hans von. (1) On some interesting additions to the Avifauna of Bucaramanga, U. S. of Columbia. (Ibis, 1886, pp. 53-57, pl. iv.) (2) Kritische Bemerkungen zur Colibri-Literatur. (Separat. aus der Festschrift der Ver. für Naturk. zu Cassel. 1886.)

Berlepsch, Hans von, und Dr. Herman von Jhoring. Die Vögel der Umgegend von Taquara do Mundo Novo, Prov. Rio Grande do Sul. (Separat. aus der Zeitsch. für gesammte Orn., 1885.)

Blasius, R. (1) Ueber den Wanderzug des Tannhebers (*Nucifraga caryocatactes* L.) im Herbst 1885. (Braunschweigische Anzeigen, No. 164, 16 Juli, 1886.) (2) Der Dompfaff Brutvogel bei Braunschweig; Der diesjährige Wanderzug der Sperbereule (*Surnia nisoria* Wolf); Brutplätze des Alpenglegers (*Cypselus melba* L.). (Ibid., No. 305, 30 Dec., 1886.)

Bryant, Walter E. Additions to the Ornithology of Guadalupe Island. (Extr. Bull. No. 6, California Acad. Sci., Jan. 5, 1887.)

Carpenter, Frederic H. The occurrence of the Osprey in the Fauna of Bristol County, Mass. (Publ. Bristol Co. Orn. Club, No. 2, 1887.)

Dubois, Alph. Compte rendu des observations ornithologiques faites en Belgique pendant l'année 1885. (Extr. Bull. du Mus. roy. d'Hist. Nat. de Belgique, IV, 1886.)

Maynard, C. J. Corrected descriptions of five new species of Birds from the Bahamas. (Amer. Exch. and Mart. III, No. 6, p. 69, Feb. 5, 1887.)

Pelzeln, August von, und Dr. Ludwig von Lorenz. Typen der ornithol-

* Description of a new species of *Myiarchus*, presumably from the Orinoco District of South America. By Robert Ridgway. Proc. U. S. Nat. Mus., 1886, p. 521.

† Description of a new species of *Picolaptes* from the Lower Amazon. Ibid., p. 523.

‡ Description of a new Subspecies of *Cyclorhis* from Yucatan. Ibid., p. 519.

§ Description of a new Plumed Partridge from Sonora (*Callipepla elegans bensoni*). Forest and Stream, Vol. XXVIII, No. 6, March 3, 1887, p. 106.

|| On a probable Hybrid between *Dryobates nuttalli* (Gamb.) and *D. pubescens gairdnerii* (Aud.). Proc. U. S. Nat. Mus., 1886, pp. 521, 522.

ogischen Sammlung des k. k. naturhistorischen Hofmuseums, Wien. (Extr. Ann. des k. k. Naturhist. Hofmuseums, I, 1886.)

Platt, Franklin. A list of the Birds of Meriden, Conn. (Trans. Meriden Sci. Ass., II, pp. 30-53, 1887.)

Ralph, Wm. L., and Egbert Baggs. Annotated list of the Birds of Oneida County, N. Y., and its immediate vicinity. (Trans. Oneida Hist. Soc., III, 1886, pp. 101-147.)

Ridgway, Robert. (1) Nomenclature of Colors for Naturalists, and Compendium of Useful Knowledge for Ornithologists. 8vo. Boston: Little, Brown, and Company, 1886. (2) Descriptions of an apparently new Species of *Picolaptes*, from the Lower Amazon. (Proc. U. S. Nat. Mus., 1886, p. 523.)

Salvadori, Tommaso. Elenco degli Uccelli Italiani. (Ann. Mus. Civ. di Stor. Nat. di Genova, Ser. 2, Vol. III, 1887.)

Shufeldt, R. W. Contributions to Science and Bibliographical Résumé of the Writings of R. W. Shufeldt, M.D., etc., 1881-1887. 8vo. pp. 20. L. S. Foster, New York, 1887.

Stejneger, L. (1) On *Turdus alpestris* and *Turdus torquatus*, two distinct species of European Thrushes. (Proc. U. S. Nat. Mus., 1886, pp. 365-373.) (2) Review of Japanese Birds, Part II, Tits and Nuthatches. Part III, Rails, Gallinules and Coots. (Ibid., pp. 374-408.) (3) Notes on species of the Australian Genus *Pardalotus*. (Ibid., pp. 294-296.) (4) Description of *Rallus jouyi*, with Remarks on *Rallus striatus* and *Rallus gularis*. (Ibid., pp. 362-364.) (5) The British Marsh-Tit. (Ibid., pp. 200, 201.) (6) On the Status of *Synthliboramphus wumizusume*. (Ibid., p. 524.) (7) On a Collection of Birds made by Mr. M. Namize, in the Liu Kiu Islands, Japan, with descriptions of New Species. (Ibid., pp. 634-651.)

Swinburne, Spearman. Notes on Birds observed on Voyages between England and the Cape of Good Hope. Communicated by J. J. Dalgleish. (Proc. Roy. Phys. Soc. Edinburgh, IX, 1885-86, pp. 193-201.)

Agassiz Companion, A Month. Mag. devoted to the Nat. Sci., Philately, and the interest of the Agassiz Ass., II, No. 1, Jan. 1887.

American Field, XXVII, Nos. 1-12, 1887.

American Naturalist, XXI, Jan., 1887.

American Journal of Science, XXXIII, Jan.-March, 1887.

Anzeiger, Zoologischer, Nos. 240-245, 1887.

Audubon Magazine, I, Nos. 1, 2, 1887.

Bird Call, The, I, Nos. 1-3, Jan.-March, 1887.

Bulletin American Museum Natural History, Vol. I, Nos. 1-8, 1881-87; Annual Reports do., 1871-1886.

Curiosity World, I, No. 6, Feb., 1887.

Forest and Stream, XXVII, Nos. 23-26, XXVIII, Nos. 1-8, 1887.

Hoosier Naturalist, II, No. 4-6, Dec., 1886-Jan., 1887.

Jornal de Scien. Math., Phys. e Nat. da Acad. real das Sci. de Lisboa, No. 40-44, Jul. 1885-Dec. 1886.

Journal Cincinnati Soc. Nat. Hist., IX, No. 4, Jan. 1887.

Naturalist, The, A Month. Journ. Nat. Hist. for the North of England, No. 138-140, Jan.-March, 1887.

Ornis, Jahr. II, Heft 1, 2, 1886.

Ornithologist and Oölogist, XI, Nos. 11-12, 1886,* XII, Nos. 1-3, 1887.

Report of the U. S. Commissioner of Agriculture, 1886.

Report of the Fish and Game Commissioners of Massachusetts for 1886.

Reports of the Micr. Soc. of West Chester, Pa., on an Act of the Assembly of Pennsylvania, awarding a premium for the Destruction of Hawks, Owls, Minks, Weasels, etc., 1887.

Swiss Cross, a Month. Mag. of the Agassiz Ass., I, Jan.-March, 1887.

Proceedings Acad. Nat. Sci. Philadelphia, pt. 3, Oct.-Dec., 1886.

Proceedings U. S. Nat. Mus., 1886, pp. 289-624.

Zoologist, XI, Nos. 121-123, Jan.-March, 1887.

GENERAL NOTES.

The Common Murre (*Uria troille*) and the Razor-billed Auk (*Alca torda*) on the New England Coast.—Among some birds received by Mr. F. B. Webster from a gunner at Eastport, Maine, December 27, 1886, I found three Murres. They were in the flesh and evidently had been dead only a few days. With them were sent one Brünnich's Murre (*Uria lomvia*), and no less than twenty Razor-billed Auks. The latter occurred in great numbers at various points between Eastport, Maine, and Provincetown, Mass., during November and December, 1886; ordinarily they are not common. The Brünnich's Murre, usually an abundant visitor in the late autumn, has been apparently nearly wanting the past season.—**WILLIAM BREWSTER, Cambridge, Mass.**

Capture of the Razor-billed Auk at Norfolk, Virginia.—By request of Dr. A. K. Fisher I send to 'The Auk' the following note recording the capture of the Razor-billed Auk (*Alca torda*) in the vicinity of Norfolk, Virginia. I am not able to state by whom it was shot, nor the date, but it was about the 15th of October. The bird was a male, in fine plumage and good condition. This, I believe, is the first one taken so far south.—**FREDERICK S. WEBSTER, Washington, D. C.**

Megalestris skua.—In 'The Auk,' Vol. III, No. 4, Oct., 1886, p. 432, I recorded what I supposed to be the third occurrence of this species in North America. A previous record of two seen on Nantucket Shoals, Oct. 11, 1883, may be found in 'Notes on the Habits and Methods of Capture of Various Species of Sea Birds that occur on the Fishing Banks off the Eastern Coast of North America, and which are used for bait for catching Codfish by New England Fishermen,' by Capt. J. W. Collins (pp. 13 and 14, of separate, extracted from the Annual Report of the Commissioner of Fish and Fisheries for 1882, pp. 323 and 324).—**WILLIAM DUTCHER, New York City.**